



# BIOMIN<sup>®</sup> BOOSTER 126



## Amino Acid Chelated Minerals for Soil and Foliar Application

### PRODUCT INFORMATION

**BIOMIN BOOSTER 126** contains amino acid chelated minerals designed for soil and foliar application. It is completely bioavailable and non-phytotoxic to plants when applied in accordance to directions. Designed to prevent and correct micronutrient deficiencies and to boost crops during critical or fast growing periods. May be applied with nitrogen fertilizer.

### DIRECTIONS AND GENERAL RECOMMENDATIONS:

#### SHAKE WELL BEFORE USING

**SOIL APPLICATION:** **BIOMIN BOOSTER 126** can be applied before or at planting as banding or broadcast. The application rate is 1 quart to 1 gallon per acre (2.5 to 10 liters/hectare) depending on soil conditions and application methods. For maintenance, 1 quart per acre (2.5 liters/hectare) is recommended. **BIOMIN BOOSTER 126** should be diluted with enough water to cover the entire acre.

#### FOLIAR APPLICATION:

**FIELD CROPS:** Apply 16-32 oz. per acre (1.25 to 2.5 liters/hectare) of **BIOMIN BOOSTER 126** when crops are about 15 - 30 cm (6-12 inches) high or when deficiency symptoms appear. Repeat the application in 2 - 4 weeks if necessary.

**VEGETABLE CROPS:** Apply 16-32 oz. per acre (1.25 to 2.5 liters/hectare) of **BIOMIN BOOSTER 126** at about 2 - 4 weeks after emergence, or when deficiency symptoms appear. Repeat the application in 1 - 3 weeks if necessary.

### GUARANTEED ANALYSIS

Total Nitrogen (N)	2.0%
2.0% Water Soluble Organic Nitrogen	
Boron (B)	0.025%
Copper (Cu)	0.1%
0.1% Chelated Copper	
Iron (Fe)	0.5%
0.5% Chelated Iron	
Magnesium (Mg)	0.8%
0.8% Chelated Magnesium	
Manganese (Mn)	1.0%
1.0% Chelated Manganese	
Zinc (Zn)	3.0%
3.0% Chelated Zinc	

Derived from Magnesium sulfate, Sodium borate, Cupric sulfate, Ferrous sulfate, Manganese sulfate, Zinc sulfate, Citric acid, and Glycine.

### PREVENTS and CORRECTS MINERAL DEFICIENCIES

### KEEP OUT OF REACH OF CHILDREN

Manufactured by:  
JH BIOTECH, INC.  
P.O. Box 3538  
Ventura, California 93006

Lot No.:

**FRUIT TREES AND GRAPES:** Apply 16-32 oz. per acre (1.25 to 2.5 liters/hectare) of **BIOMIN BOOSTER 126** in early spring when new leaves are emerged or when deficiency symptoms appear. Repeat the application in about 4 weeks if necessary.

For best results, apply **BIOMIN BOOSTER 126** when the crop is in active growing stage, after irrigation or natural rain fall. For foliar application, it should be diluted with at least 20 times of water. **BIOMIN CALCIUM** will lower high pH of water and decrease the hydrolysis of most pesticides.

**BIOMIN BOOSTER 126** can be applied to **FRUIT TREES, VEGETABLES, GRAPES, FIELD CROPS, and ORNAMENTAL GARDENS.**

### LIMITED WARRANTY

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

### Net Contents:

- 1 Pint (0.47 liter)
- 1 Gallon (3.78 liters)
- 2.5 Gallons (9.45 liters)
- 2 x 2.5 Gallons (18.9 liters)
- 5 Gallons (18.9 liters)
- 55 Gallons (207.9 liters)

Weight per Gallon.: 10.5 lbs.

0308-DI3

# JH BIOTECH, INC.