



BIOMIN®

ZINC 2-0-0



Mineral for Soil and Foliar Application

PRODUCT INFORMATION:

BIOMIN ZINC contains chelated mineral for soil and foliar application. It is completely available and non-phytoxic to plants when applied according to directions. It is designed to prevent and correct mineral deficiency and to boost crops during critical stages or fast growing periods. It can be applied in combination with nitrogen fertilizer.

DIRECTIONS:

SHAKE WELL BEFORE USING

SOIL APPLICATION: **BIOMIN ZINC** can be applied before or at planting as banding or broadcast. The application rate is 1 quart to 1 gallon per acre (2.5 to 10 liters/hectare) depending on soil conditions and application methods. For maintenance, 1 quart per acre (2.5 liters/hectare) is recommended. **BIOMIN ZINC** should be diluted with enough water to cover the entire acre.

FOLIAR APPLICATION:

FIELD CROPS: Apply 1-4 pints per acre of **BIOMIN ZINC** when crops are about 6-12 inches (15-30 cm.) high or when deficiency symptoms appear. Repeat the application in 2 - 4 weeks if necessary.

FRUIT TREES AND GRAPES: Apply 1-4 pints per acre (1.5 to 5 liters/hectare) of **BIOMIN ZINC** in early spring when new leaves are emerged or when deficiency symptoms appear. Repeat the application in about 4 weeks if necessary.

VEGETABLE CROPS: Apply 1-4 pints per acre of **BIOMIN ZINC** at about 2 - 4 weeks after emergence, or when deficiency symptoms appear. Repeat the application in 1 - 3 weeks if necessary.

GUARANTEED ANALYSIS

Total Nitrogen (N) 2.0%
2.0% Water Soluble Organic Nitrogen

Zinc (Zn) 7.0%
7.0% Chelated Zinc

Derived from Zinc Sulfate, Citric Acid, Glycine. Nitrogen derived from Glycine.

**PREVENT
AND
CORRECT
MINERAL DEFICIENCIES**

**KEEP OUT OF REACH
OF CHILDREN**

Manufactured by:
JH BIOTECH, INC.
P.O. Box 3538
Ventura, CA 93006
U.S.A.

Information regarding the contents and levels of metals in this product is available on the internet at <http://agr.wa.gov>.

Lot #:

Weight per Gallon: 10.9 lbs.

For best results, apply **BIOMIN ZINC** when the crop is in active growing stage, after irrigation or natural rain fall. For foliar application, it should be diluted with at least 100 times of water. **BIOMIN ZINC** will lower high pH of water and decrease the hydrolysis of most pesticides.

BIOMIN ZINC can be applied to FRUIT TREES, VEGETABLES, GRAPES, FIELD CROPS, TURF and ORNAMENTAL GARDENS.

LIMITED WARRANTY

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

NET CONTENTS:

- 1 Pint (0.47 liters)
- 1 Gallon (3.78 liters)
- 2.5 Gallons (9.45 liters)
- 2 x 2.5 Gallons (18.9 liters)
- 5 Gallons (18.9 liters)
- 55 Gallons (207.9 liters)

Information regarding the contents and levels of metals in this product is available on the internet at <http://agr.wa.gov>.

0306-WA2

JH BIOTECH, INC.