

BIO-ACTIVATE PLUS

5-0-0



DIRECTIONS FOR USE

BIO-ACTIVATE PLUS should be applied with enough water to thoroughly cover all plants. Apply **BIO-ACTIVATE PLUS** early in the morning or late in the afternoon.

RATE OF APPLICATION

12-16 oz. of **BIO-ACTIVATE** per acre.

TIME OF FIRST APPLICATION*

- | | |
|--------|---|
| Apple | Apply at early spring when new leaves are emerged and at early bloom. |
| Carrot | Apply prior to tuber initiation. |
| Celery | Apply at 2-3 leaf stage |
| Citrus | Apply at early spring when new leaves are emerged and at early bloom. |
| Peach | Apply at pit-hardening stage. |
| Potato | First application should be made when tubers are about 1 inch in diameter. Repeat the application in 2-4 weeks. |
| Wheat | Apply at 4-6 leaf stage. |

* Repeat every 2-3 weeks after fruit set on most crops. Consult an expert for timing advise.

CAUTION
KEEP OUT OF REACH OF CHILDREN

GUARANTEED ANALYSIS

Total Nitrogen (N).....5.0%
4.5% Urea Nitrogen
0.5% Water Soluble Organic Nitrogen
Nitrogen derived from urea and glycine.

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS

1% Kelp Extract (*Ascophyllum nodosum*)

NO WARRANTY

Neither manufacturer nor sellers shall be liable for any direct or indirect damage resulting from the use of this product whether or not in accordance with directions or suggestions. The user assumes all risks in use or handling. Since weather, crop, soil and other conditions may vary, the manufacturer and the seller make no warranty concerning the effectiveness of the product.

Net Contents: 1 Pint (0.47 liter)
 1 Gallon (3.78 liters)
 2.5 Gallons (9.45 liters)
 2 x 2.5 Gallons (18.9 liters)
 5 Gallons (18.9 liters)
 55 Gallons (207.9 liters)

Manufactured by: JH Biotech, Inc.
P.O. Box 3538
Ventura, CA 93006 U.S.A.

LOT NO.

JH Biotech, Inc.

0242-D-A-1
Copyright © JH Biotech, Inc.
All rights reserved.